

DOKUMENTASI





Data Mentahan

No	Kecepatan Angin (M/S)	Suhu (°C)	Kelembaban (%Rh)	Tegangan (Volt)	Arus (Ampere)
1	12,775	26,872	74	6,5	0,597
2	9,779	28,812	70	8,7	0,607
3	8,014	29,961	74	9,0	0,61
4	13,853	27,676	72	8,7	0,607
5	12,398	26,836	59	8,7	0,6
6	14,997	28,31	69	8,7	0,601
7	11,207	28,719	69	11,6	0,601
8	8,915	27,804	74	11,8	0,608
9	14,435	30,58	70	6,5	0,606
10	13,508	30,325	73	11,6	0,592
11	10,449	26,756	70	9,0	0,595
12	9,996	28,445	66	8,9	0,605
13	11,742	30,086	72	11,8	0,6
14	12,857	30,131	73	11,6	0,61
15	11,128	29,374	59	6,5	0,6
16	9,004	27,282	58	9,0	0,594
17	9,839	30,23	58	6,5	0,593
18	8,032	30,72	63	8,9	0,594
19	14,055	30,785	65	8,9	0,604
20	12,632	27,697	72	9,0	0,592
21	12,164	31,149	65	11,5	0,602
22	10,168	29,671	67	11,7	0,601
23	13,796	27,994	62	11,5	0,597
24	13,515	29,418	64	11,5	0,609
25	8,725	27,001	74	11,6	0,601
26	12,009	26,726	68	9,0	0,593
27	12,379	27,401	69	11,6	0,593
28	14,88	26,885	74	11,5	0,596
29	9,375	29,473	66	11,6	0,605
30	13,077	29,387	58	11,6	0,603
31	12,693	30,22	59	11,5	0,595
32	11,645	28,326	70	11,8	0,609
33	12,424	30,152	70	11,7	0,6
34	12,177	28,481	72	9,0	0,597
35	8,935	27,507	61	9,0	0,609
36	10,196	30,604	70	6,5	0,603
37	11,098	27,126	61	6,5	0,595
38	11,645	29,119	60	11,5	0,597
39	10,438	31,286	65	11,5	0,6
40	10,094	28,567	63	8,9	0,591
41	9,412	30,927	57	11,8	0,6

42	9,225	31,074	63	9,0	0,595
43	8,862	26,928	57	6,5	0,593
44	9,045	29,397	59	11,7	0,594
45	11,577	30,498	71	8,7	0,6
46	9,628	28,628	64	11,5	0,609
47	8,143	28,433	72	11,6	0,608
48	14,123	30,699	72	6,5	0,602
49	13,074	30,08	72	8,7	0,608
50	13,31	30,245	72	11,7	0,591
51	11,359	31,293	70	9,0	0,599
52	13,543	29,488	72	9,0	0,604
53	8,547	27,861	64	9,0	0,605
54	14,495	26,924	62	9,0	0,593
55	13,718	30,989	57	11,7	0,6
56	10,965	27,196	63	11,8	0,604
57	13,536	31,495	59	8,9	0,602
58	10,71	30,123	57	6,5	0,599
59	14,18	31,074	59	11,5	0,607
60	12,428	26,639	57	11,8	0,604
61	8,189	28,046	58	11,8	0,593
62	14,307	27,301	74	11,6	0,6
63	14,833	31,424	59	9,0	0,608
64	11,277	27,36	67	6,5	0,597
65	8,461	31,203	74	8,9	0,608
66	11,047	27,896	68	11,5	0,593
67	14,343	29,987	71	9,0	0,604
68	12,545	30,992	61	11,8	0,609
69	14,528	30,14	70	9,0	0,608
70	9,667	27,876	62	8,7	0,598
71	9,285	28,957	64	8,7	0,603
72	9,366	29,01	66	11,5	0,596
73	14,375	27,461	57	11,7	0,603
74	14,526	30,431	68	8,9	0,597
75	14,196	27,573	66	11,7	0,599
76	11,176	29,42	70	8,9	0,591
77	8,527	27,552	63	6,5	0,595
78	9,88	26,622	71	8,7	0,594
79	9,322	28,951	68	6,5	0,609
80	8,461	31,496	62	11,8	0,596
81	8,641	27,039	65	11,5	0,599
82	8,052	30,266	74	8,9	0,608
83	11,203	30,348	58	8,7	0,599
84	12,417	28,304	66	11,6	0,599
85	10,695	28,062	62	8,7	0,607

86	14,834	29,991	57	8,7	0,6
87	10,171	30,14	63	9,0	0,602
88	14,51	28,172	61	11,8	0,601
89	12,16	31,436	60	11,6	0,603
90	10,375	28,915	69	8,9	0,608
91	11,346	29,769	66	9,0	0,595
92	12,968	27,427	63	8,7	0,605
93	9,617	28,769	72	11,5	0,596
94	13,107	27,192	71	9,0	0,599
95	10,389	27,843	71	8,7	0,608
96	8,64	29,881	67	9,0	0,607
97	12,912	29,044	62	8,9	0,592
98	10,067	27,976	63	11,8	0,597
99	11,372	30,548	64	8,7	0,598
100	13,294	31,19	67	6,5	0,601
101	9,369	27,692	61	11,6	0,594
102	8,415	28,524	65	11,7	0,608
103	12,41	26,692	73	11,6	0,596
104	10,493	29,865	68	6,5	0,6
105	11,593	30,2	68	11,7	0,599
106	12,235	29,774	64	9,0	0,603
107	13,813	26,687	59	11,6	0,604
108	13,88	27,121	63	8,9	0,597
109	10,932	28,018	72	8,9	0,608
110	8,084	30,388	64	9,0	0,606
111	10,149	27,01	64	9,0	0,597
112	11,432	27,318	70	11,5	0,599
113	14,28	28,754	71	11,8	0,599
114	12,073	27,729	74	8,9	0,598
115	12,814	30,806	64	11,8	0,602
116	12,576	27,6	61	11,7	0,601
117	13,281	28,407	60	6,5	0,599
118	12,276	28,139	61	8,9	0,598
119	13,901	30,187	62	9,0	0,599
120	11,041	26,679	68	11,7	0,596
121	11,282	31,312	61	8,9	0,607
122	8,663	30,257	69	8,9	0,599
123	9,832	29,228	69	6,5	0,599
124	13,955	28,554	73	6,5	0,593
125	14,741	27,503	57	6,5	0,604
126	12,658	29,778	60	11,8	0,602
127	10,253	30,446	61	11,5	0,605
128	9,273	27,757	73	11,6	0,592
129	8,32	27,74	70	9,0	0,595

130	10,057	26,881	68	11,6	0,601
131	10,934	27,404	60	11,7	0,595
132	9,146	27,889	72	6,5	0,593
133	10,878	28,42	68	11,7	0,598
134	14,178	28,045	72	8,9	0,599
135	14,898	26,814	64	8,9	0,602
136	10,409	27,97	62	11,7	0,596
137	11,062	28,62	73	9,0	0,606
138	13,691	27,892	70	6,5	0,604
139	8,802	29,952	59	11,8	0,598
140	8,878	31,089	68	9,0	0,606
141	13,416	30,694	68	11,6	0,592
142	9,592	31,065	67	8,9	0,594
143	12,081	31,205	72	8,9	0,596
144	12,455	29,481	67	11,5	0,599
145	12,627	27,02	65	11,7	0,595
146	12,377	28,148	73	8,9	0,604
147	14,311	27,758	73	6,5	0,605
148	14,765	31,348	70	6,5	0,596
149	9,775	27,049	71	11,8	0,594
150	8,303	30,454	60	11,5	0,603
151	13,436	26,654	65	6,5	0,607
152	10,542	29,165	66	8,9	0,599
153	13,946	30,317	63	8,9	0,606
154	12,252	30,385	61	11,8	0,594
155	12,042	26,729	61	11,8	0,599
156	10,253	30,223	70	11,6	0,594
157	9,71	27,545	62	11,6	0,603
158	14,509	29,122	72	8,9	0,609
159	13,642	31,325	65	9,0	0,6
160	9,168	31,032	61	6,5	0,602
161	14,597	30,857	59	11,8	0,599
162	10,282	27,686	64	11,6	0,599
163	9,966	26,992	62	9,0	0,604
164	11,526	28,988	60	8,7	0,606
165	8,549	29,157	73	11,7	0,602
166	10,783	30,965	73	8,9	0,595
167	14,83	27,034	68	11,5	0,597
168	14,644	28,451	63	11,5	0,594
169	8,165	29,066	64	11,6	0,594
170	11,499	29,123	68	6,5	0,595
171	9,821	28,25	63	11,6	0,605
172	11,402	28,409	69	6,5	0,591
173	11,93	26,891	74	11,5	0,591

174	12,094	27,441	63	9,0	0,604
175	14,344	29,22	57	11,5	0,593
176	14,876	30,285	67	9,0	0,607
177	10,709	29,054	59	11,8	0,595
178	12,614	30,078	60	11,7	0,595
179	8,491	31,036	69	6,5	0,604
180	11,295	28,845	74	8,7	0,603
181	11,673	26,566	59	11,8	0,608
182	13,588	29,989	60	6,5	0,591
183	12,918	30,148	70	11,6	0,606
184	10,062	30,331	61	11,6	0,596
185	10,781	30,74	58	8,9	0,604
186	14,532	30,769	74	9,0	0,593
187	14,769	28,224	69	11,8	0,599
188	12,535	27,479	60	9,0	0,596
189	10,379	27,41	73	8,7	0,608
190	12,572	28,558	62	9,0	0,594
191	11,446	30,256	69	11,6	0,607
192	13,815	27,961	72	6,5	0,608
193	10,327	29,325	63	9,0	0,606
194	9,338	26,713	62	6,5	0,609
195	11,12	31,201	58	11,8	0,595
196	9,22	27,839	66	11,6	0,596
197	12,819	28,183	63	8,9	0,593
198	10,693	27,43	72	6,5	0,605
199	10,352	27,794	66	11,8	0,603
200	13,644	27,593	72	11,7	0,602
201	13,652	29,417	63	11,8	0,602
202	9,008	28,896	71	11,5	0,607
203	9,679	26,723	71	11,7	0,609
204	10,576	30,007	57	11,7	0,604
205	10,854	27,997	63	8,9	0,6
206	10,32	29,841	63	11,8	0,608
207	8,438	31,387	71	11,5	0,595
208	9,64	30,276	65	11,6	0,605
209	14,202	28,159	62	11,5	0,599
210	10,366	28,35	70	8,7	0,61
211	8,403	29,181	61	11,8	0,594
212	8,905	27,641	74	11,8	0,598
213	11,191	29,975	62	11,7	0,607
214	12,3	28,933	71	8,9	0,6
215	11,818	29,191	70	6,5	0,608
216	14,659	26,626	64	8,7	0,591
217	14,881	30,322	66	8,7	0,601

218	8,954	28,278	74	11,7	0,609
219	8,768	27,884	69	9,0	0,604
220	8,141	27,693	62	11,6	0,596
221	9,92	26,929	72	11,6	0,604
222	10,219	31,489	73	9,0	0,597
223	9,84	29,982	64	11,7	0,601
224	8,207	28,978	73	8,7	0,61
225	9,481	29,09	60	11,8	0,601
226	11,365	28,047	73	11,8	0,604
227	8,821	31,242	73	8,9	0,596
228	11,359	26,794	71	11,5	0,593
229	14,548	28,942	68	11,6	0,593
230	14,404	28,659	58	8,7	0,595
231	13,858	28,111	58	11,7	0,601
232	11,444	29,097	61	11,5	0,602
233	13,079	30,45	57	9,0	0,603
234	11,992	26,828	70	8,9	0,6
235	10,28	26,755	73	11,7	0,601
236	8,891	26,824	65	11,5	0,606
237	12,663	27,647	63	11,8	0,596
238	10,357	28,459	59	9,0	0,595
239	12,045	26,589	73	9,0	0,592
240	10,383	30,764	67	6,5	0,601
241	13,322	28,557	57	9,0	0,601
242	10,072	31,475	58	9,0	0,604
243	14,232	28,421	62	11,5	0,594
244	10,789	29,305	70	6,5	0,609
245	13,19	29,468	69	8,9	0,607
246	14,232	28,369	70	11,5	0,606
247	11,071	27,519	59	11,6	0,594
248	11,991	30,522	74	11,7	0,594
249	8,124	27,673	57	11,8	0,605
250	14,464	27,401	61	11,7	0,597
251	10,039	31,206	67	9,0	0,596
252	14,521	28,703	71	9,0	0,598
253	14,756	31,434	66	11,6	0,596
254	11,202	30,417	70	11,6	0,599
255	11,978	28,569	60	8,7	0,598
256	12,668	31,112	63	11,8	0,596
257	12,868	27,703	66	11,5	0,598
258	14,479	29,32	60	8,7	0,605
259	8,056	31,174	66	11,7	0,599
260	10,764	27,73	64	11,6	0,598
261	13,848	29,174	57	11,5	0,605

262	9,911	29,965	63	8,9	0,594
263	13,71	31,384	67	6,5	0,602
264	13,687	28,165	73	11,5	0,594
265	14,206	27,269	60	11,6	0,604
266	13,267	27,71	66	9,0	0,603
267	10,846	30,804	60	6,5	0,592
268	10,35	28,116	58	11,8	0,606
269	9,683	31,383	62	11,6	0,594
270	13,235	29,246	64	6,5	0,596
271	10,795	28,36	69	8,9	0,6
272	10,223	31,223	72	11,6	0,607
273	8,744	29,572	58	8,9	0,607
274	13,814	26,531	59	9,0	0,606
275	10,241	28,726	57	11,7	0,595
276	12,396	28,132	67	8,9	0,593
277	12,86	27,608	59	11,8	0,609
278	14,485	31,042	72	6,5	0,599
279	9,194	26,742	73	8,9	0,592
280	11,461	30,205	69	6,5	0,609
281	11,666	26,971	68	9,0	0,604
282	12,123	31,41	74	8,7	0,595
283	10,8	27,982	57	8,9	0,595
284	11,494	29,978	74	9,0	0,598
285	8,597	27,561	70	11,6	0,601
286	11,159	28,501	71	11,7	0,592
287	10,909	30,919	67	8,9	0,591
288	14,963	28,034	67	11,7	0,602
289	13,514	28,495	60	11,7	0,609
290	10,943	28,404	65	11,7	0,605
291	10,77	30,908	71	8,9	0,601
292	9,144	26,592	66	6,5	0,597
293	14,228	26,89	73	8,9	0,599
294	14,457	31,023	69	8,7	0,602
295	8,94	30,596	65	11,5	0,599
296	14,518	28,256	58	8,9	0,603
297	9,702	31,258	72	8,7	0,604
298	8,674	29,924	60	8,7	0,595
299	8,118	30,731	62	6,5	0,606
300	9,976	27,871	73	6,5	0,592