

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^b	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.336 ^a	.113	.064	2.76088

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	52.474	3	17.491	2.295	.088 ^b
	Residual	411.612	54	7.622		
	Total	464.086	57			

a. Dependent Variable: Y

b. Predictors: (Constant), X3, X2, X1

Collinearity Diagnostics^a



Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	3.959	1.000	.00	.00	.00	.00
	2	.027	12.172	.77	.07	.00	.05
	3	.008	22.904	.02	.26	.22	.93
	4	.006	24.942	.21	.67	.77	.02


a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	7.4944	14.0183	11.7759	.95948	58
Std. Predicted Value	-4.462	2.337	.000	1.000	58
Standard Error of Predicted Value	.381	1.700	.670	.281	58
Adjusted Predicted Value	6.5750	14.2014	11.7877	1.04339	58
Residual	-8.42441	4.09994	.00000	2.68724	58
Std. Residual	-3.051	1.485	.000	.973	58
Stud. Residual	-3.148	1.535	-.002	1.006	58
Deleted Residual	-8.96482	4.37965	-.01180	2.87396	58
Stud. Deleted Residual	-3.451	1.555	-.013	1.041	58
Mahal. Distance	.104	20.629	2.948	4.256	58
Cook's Distance	.000	.186	.018	.035	58
Centered Leverage Value	.002	.362	.052	.075	58

a. Dependent Variable: Y





One-Sample Kolmogorov-Smirnov Test

		Unstandardize d Residual
N		58
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	2.68724115
Most Extreme Differences	Absolute	.122
	Positive	.064
	Negative	-.122
Test Statistic		.122
Asymp. Sig. (2-tailed)		.033 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

One-Sample Kolmogorov-Smirnov Test

		Unstandardize d Residual
N		58
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	2.68724115
Most Extreme Differences	Absolute	.122
	Positive	.064
	Negative	-.122
Test Statistic		.122
Asymp. Sig. (2-tailed)		.033 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.